	Application No.	Applicant(s)
Notice of Allowability	10/686,733	KIM ET AL.
	Examiner	Art Unit
	Amy J. Sterling	3632
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/7/05</u> .		
2. The allowed claim(s) is/are 1-6,8 and 11-14.		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority uner a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) $\square$ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date <u>4/3/06</u> .		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.  Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 8), 7. ⊠ Examiner's Amendr	te ment/Comment
Paper No./Mail Date	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	

Application/Control Number: 10/686,733

Art Unit: 3632

## Notice of Allowance

This is the Notice of Allowance for application number 10/686,733 Touch Panel Holder Frame, Spacer Member an Display Device, filed on 10/17/03. Claims 1-6, 8 and 11-14 are allowed.

## Examiner's Comment Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "plurality of pawls on the second positioning enclosure" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Now the drawings only show one that is visible.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Notice of Allowance to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New

Art Unit: 3632

Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach a plurality of holding pawl sections provided on an inner surface of the second positioning enclosure at positions remote from the spacer section that engage the outer periphery of the touch panel and retain the touch panel within the second positioning enclosure in combination with a first and second positioning enclosure, the first positioning enclosure engaging a display device body along a portion of the plate thickness to surround the outer periphery of the display screen and wherein the second positioning enclosure engages the touch panel along a portion of the plate thickness of the touch panel to surround the outer periphery of the touch panel.

## Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/686,733 Page 4

Art Unit: 3632

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 571-272-6823. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Robert Olszewski at 571-272-6788. The fax machine number for the -Technology center is 571-273-8300 (formal amendments) or 571-273-6823 (informal amendments/communications). Any inquiry of a general -nature or relating to the status of this application should be directed to the Technology Center receptionist at 571-272-3600.

Amy J. Sterling

4/13/06